



# LABELLING AND MARKING SPECIFICATION

Rev.00  
01/03/2025

## Labelling and Marking Requirements for VRLA Batteries According to REGULATION (EU) 2023/1542 - Article 13 (Annex VI)

Siro Batterie Srl is dedicated to offering customers products that fully adhere to all relevant regulations, international protocols, and customer standards. Our VRLA batteries classify as industrial batteries and have been thoroughly tested to meet the standards outlined in EU Regulation 2023/1542.

The following table presents the general information about the labelling, marking and information requirements for NPP Power Europe's VRLA batteries according to (EU) 2023/1542 – Article 13 (Annex VI), Parts A and B\*.





No.	Requirement as per EU 2023/1542	Compliance																						
1	Information identifying the manufacturer in accordance with Article 38(7)	<ul style="list-style-type: none"> <li>• Manufacturer Name, Registered trade name or mark – Shown on the battery label</li> <li>• Postal address, Email &amp; web: <a href="https://www.sirobatterie.com/">https://www.sirobatterie.com/</a></li> <li>• Single contact point - Refer Declaration of Conformity</li> </ul> <p style="text-align: center;"><b>For standard monobloc batteries</b></p> <div style="text-align: center;"> </div> <p style="text-align: center;"><b>For motive power heavy duty industrial batteries</b></p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;"></td> <td>ELEMENTO TIPO CELL TYPE</td> <td>7RSX80</td> </tr> <tr> <td></td> <td>TENSIONE (V) VOLTAGE (V)</td> <td>36 V</td> </tr> <tr> <td></td> <td>CAPACITA' (Ah C5) CAPACITY (Ah C5)</td> <td>560 Ah C5</td> </tr> <tr> <td></td> <td>N.MATRICOLA SERIAL No.</td> <td>SR-25A02</td> </tr> <tr> <td></td> <td>PESO (kg) WEIGHT (kg)</td> <td>678 kg</td> </tr> <tr> <td></td> <td>ELETTROLITA (L) ELECTROLYTE (L)</td> <td>126 L</td> </tr> <tr> <td></td> <td>DISEGNO No. TRAY CODE</td> <td>-</td> </tr> </table> <div style="margin-top: 10px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;"> <b>SIRO batterie S.r.l.</b>                  Via Millo, 10 - 29122 Piacenza                  Tel. +39 0523 613330 -  <a href="mailto:info@sirobatterie.com">info@sirobatterie.com</a>  <a href="http://www.sirobatterie.com">www.sirobatterie.com</a> </td> </tr> </table> </div>		ELEMENTO TIPO CELL TYPE	7RSX80		TENSIONE (V) VOLTAGE (V)	36 V		CAPACITA' (Ah C5) CAPACITY (Ah C5)	560 Ah C5		N.MATRICOLA SERIAL No.	SR-25A02		PESO (kg) WEIGHT (kg)	678 kg		ELETTROLITA (L) ELECTROLYTE (L)	126 L		DISEGNO No. TRAY CODE	-	<b>SIRO batterie S.r.l.</b> Via Millo, 10 - 29122 Piacenza Tel. +39 0523 613330 - <a href="mailto:info@sirobatterie.com">info@sirobatterie.com</a> <a href="http://www.sirobatterie.com">www.sirobatterie.com</a>
	ELEMENTO TIPO CELL TYPE	7RSX80																						
	TENSIONE (V) VOLTAGE (V)	36 V																						
	CAPACITA' (Ah C5) CAPACITY (Ah C5)	560 Ah C5																						
	N.MATRICOLA SERIAL No.	SR-25A02																						
	PESO (kg) WEIGHT (kg)	678 kg																						
	ELETTROLITA (L) ELECTROLYTE (L)	126 L																						
	DISEGNO No. TRAY CODE	-																						
<b>SIRO batterie S.r.l.</b> Via Millo, 10 - 29122 Piacenza Tel. +39 0523 613330 - <a href="mailto:info@sirobatterie.com">info@sirobatterie.com</a> <a href="http://www.sirobatterie.com">www.sirobatterie.com</a>																								

0	01/03/2025	Prima emissione	PRD	RQ	DG
Revisione	Data	Motivo della modifica	Redatto da	Verificato da	Approvato da



# LABELLING AND MARKING SPECIFICATION

Rev.00  
01/03/2025


2	<p>The battery category and information identifying the battery in accordance with Article 38(6)</p>	<ul style="list-style-type: none"> <li>Model and Serial Identification – Refer the stickers present on the package and/or on the battery</li> </ul> <p style="text-align: center;"><b>For standard monobloc batteries</b></p>  <p style="text-align: center;"><b>For motive power heavy duty industrial batteries</b></p> <table border="1" style="width: 100%;"> <tr> <td rowspan="2" style="text-align: center;">  </td> <td>ELEMENTO TIPO CELL TYPE</td> <td>7RSX80</td> </tr> <tr> <td>TENSIONE (V) VOLTAGE (V)</td> <td>36 V</td> </tr> <tr> <td colspan="2">CAPACITA' (Ah C5) CAPACITY (Ah C5)</td> <td>560 Ah C5</td> </tr> <tr> <td rowspan="2" style="text-align: center;"> <p>SIRO batterie S.r.l. Via Millo, 10 - 29122 Piacenza Tel. +39 0523 613330 - <a href="mailto:info@sirobatterie.com">info@sirobatterie.com</a> <a href="http://www.sirobatterie.com">www.sirobatterie.com</a></p> </td> <td>N.MATRICOLA SERIAL No.</td> <td>SR-25A02</td> </tr> <tr> <td>PESO (kg) WEIGHT (kg)</td> <td>678 kg</td> </tr> <tr> <td colspan="2">ELETTROLITA (L) ELECTROLYTE (L)</td> <td>126 L</td> </tr> <tr> <td colspan="2">DISEGNO No. TRAY CODE</td> <td>-</td> </tr> </table>		ELEMENTO TIPO CELL TYPE	7RSX80	TENSIONE (V) VOLTAGE (V)	36 V	CAPACITA' (Ah C5) CAPACITY (Ah C5)		560 Ah C5	<p>SIRO batterie S.r.l. Via Millo, 10 - 29122 Piacenza Tel. +39 0523 613330 - <a href="mailto:info@sirobatterie.com">info@sirobatterie.com</a> <a href="http://www.sirobatterie.com">www.sirobatterie.com</a></p>	N.MATRICOLA SERIAL No.	SR-25A02	PESO (kg) WEIGHT (kg)	678 kg	ELETTROLITA (L) ELECTROLYTE (L)		126 L	DISEGNO No. TRAY CODE		-
	ELEMENTO TIPO CELL TYPE	7RSX80																			
	TENSIONE (V) VOLTAGE (V)	36 V																			
CAPACITA' (Ah C5) CAPACITY (Ah C5)		560 Ah C5																			
<p>SIRO batterie S.r.l. Via Millo, 10 - 29122 Piacenza Tel. +39 0523 613330 - <a href="mailto:info@sirobatterie.com">info@sirobatterie.com</a> <a href="http://www.sirobatterie.com">www.sirobatterie.com</a></p>	N.MATRICOLA SERIAL No.	SR-25A02																			
	PESO (kg) WEIGHT (kg)	678 kg																			
ELETTROLITA (L) ELECTROLYTE (L)		126 L																			
DISEGNO No. TRAY CODE		-																			
3	<p>The place of manufacturer (geographical location of a battery manufacturing plant)</p>	<ul style="list-style-type: none"> <li>Refer to the battery label and packaging</li> </ul> <p style="text-align: center;">See No.1 above</p>																			
4	<p>The date of manufacture (month and year)</p>	<ul style="list-style-type: none"> <li>Refer the sticker present on the package and the battery itself</li> </ul> <p style="text-align: center;">See No.2 above</p>																			
5	<p>Battery weight</p>	<ul style="list-style-type: none"> <li>For standard monobloc batteries refer the packaging and datasheet of the product, which is accessible from our website or by contacting Siro Batterie S.r.l.</li> <li>For motive power heavy duty industrial batteries refer to the nameplate of the battery (see No.1 above)</li> </ul>																			

0	01/03/2025	Prima emissione	PRD	RQ	DG
Revisione	Data	Motivo della modifica	Redatto da	Verificato da	Approvato da



# LABELLING AND MARKING SPECIFICATION

Rev.00  
01/03/2025

6	Battery capacity	<ul style="list-style-type: none"> <li>○ For standard monobloc batteries refer to the battery label and packaging See No.2 above</li> <li>○ For motive power heavy duty industrial batteries refer to the nameplate of the battery (see No.2 above)</li> </ul>
7	Battery chemistry	<ul style="list-style-type: none"> <li>○ For standard monobloc batteries refer the packaging and datasheet of the product, which is accessible from our website or by contacting Siro Batterie S.r.l.</li> <li>○ For motive power heavy duty industrial batteries refer to the nameplate of the battery (see No.1 above)</li> </ul>
8	The hazardous substances present in the battery, other than mercury, cadmium or lead	<ul style="list-style-type: none"> <li>○ Refer to the battery label</li> <li>○ *Part B: Symbol for separate collection of batteries – Refer to the battery label</li> </ul> <div style="text-align: center;">  </div>
9	Usable extinguishing agent	<ul style="list-style-type: none"> <li>○ Refer to the MSDS Section 5: FIRE FIGHTING MEASURES The customer can ask for detailed MSDS by asking Siro Batterie S.r.l. via website contacts (<a href="https://www.sirobatterie.com/">https://www.sirobatterie.com/</a>)</li> </ul>
10	Critical raw materials present in the battery in a concentration of more than 0,1 % weight by weight.	<ul style="list-style-type: none"> <li>○ Not applicable</li> </ul>

0	01/03/2025	Prima emissione	PRD	RQ	DG
Revisione	Data	Motivo della modifica	Redatto da	Verificato da	Approvato da